


152 mosnps 152 angina Phthisis - or Pneumonicula 157 mall pox 188 Inourlation 197



angina This disease like those we have described depends a presistant affection delibity. Its province to chinais of the farmers, difficulty and the farmers, difficulty and the the front of the farmers of the farmers of the farmers of the farmers with a full hard in the farmers with a full hard pulse! It owns at the same known with other in-- flam's disorders, & depend on the same proximate Cause . Viz: exup of action from the heat or Cold. Three Species of tromillaris - affecting mucons with tumor & ridness and Sometimes one or both with Elevation " accomp? in difficulty of breathing & mallowing" " affecting the phanyon or orlowing part of before the fames - accomp? with great difficulty in heallowing without much difficulty in breatting. 3 parotidea" affecting the purotid and maxillary glands with tumon, without pain in breathing or heallowing, and

V site of la amorise. Do Ha ittore of with Campbon Calomel I Invet & yours. J have Is cold water proper to the throat? I have mener tried it, but have heard of its bring used with Success. - If the for except of excitability or which to be place in the throat, it may set as a firmulus. To be gargle of Spirit proper to the throat? Perhaps its Strinkers may be beyond the ratio in ought to Julisist between Debility, & exists: : bility of the throat in the hight of the disense, but I know a gent " who always was it in the legioning

dometrines member by huellings in the testieles of mules & breasts of females". __ From the - History are De fellen. The remidies for the two first Spiris are. 1 Bluding - Should be expious from the brown. Capping to the part affected Sometimes veryony. 2 purges. They thould always be ligned. 3 bounts - as debiliteting remedies are very powerful. 4. hentral Salts. Hillery mitiging of V & Supplications of Oil & spill to the outside of the threat his his bringle's menely. The effect : cary of this seemedy proves that altho there is general except of action in the hystem, yet y: there is debility & defect in the hat of the disease.

The gargles - these all gently stimulating.

Blisters - behind therears & round the throat. gently stimulating & evacuating. V & Bronchotomy - cener used by D'Bond. ta: - Like Other inflam? they with terminate it in proporation, - are then painful, & tedions - and apt to recur upon every

+ hor its history see Delelen. Det amilton of Lynn Regio describes this discuse very awately in the 2" Vol: of the transcetions of the Ryaldonity of Edin? - The mentions the disease being translated from the throat to the testicles which it wasted away in two instances It from the testicles to the course where it produced death. Its owned is are warm applications to the throat - & above all a blister. This effectivally prevents its being translated to the testicles, & when applied to the testicles privented its living translated to the brain.

miles ait, multo jam fractus membralabore.

Hor: Sat: I

I have seen suddenly translated to the

trachea in D' Frorible in whom it had marly

Induced Suffocation. It moduled during tra:

chialis humanalis.

fresh exciting course. When in the tonsils Shorts be opened. D'Radchiff's remedy. -The Parotidea or mumps - less distriping them the Other Species - Ex a prenge westwo, with any disenfrent application enses it. 1 none of the three ever fatul in my practice. Jonnes hyworling the 2° hyworline la. The former hyworling the 2° hyworline la. That divide it into I stales on species it the summationers 2 Almonationers Idefine it -" Pains affecting the large points, & sometimes the w e its muscles leading to them, accompained with 22 feed, & full & hard pulse." I thall Lebiver some general propositions on this 1 It depends upon debility affecting the whole body. 2 This delility owns first in these parts where most languid circulation & most action viz the e. joints. 3 It occurs chiefly after great existions in walking - lifting - be to the cold . Sometimes ly from a defect of exertion hence Sailors, and boldiers are most belight to it. It is perhaps the only true inflower forms.

+ Dronosely says that in the vicinity of this to the Vicinity of this to the Vicinity of the thingston in San manh Juflame. Rhumation was fugurant. VI; was constantly and I in every case the blood was sizy. 12:85.

Its proximate cause is exup of astron in the arterial dystem; with from the exciting comoco of heat. they have been exposed to the cold . - The pain here is time them who with redness - I down here is time the with redness - I downling. 1 Bleeding. lopious - & every other day . + 2 Limit purges - every tother day. (alofal: 3 nauseating medicines - DEH with numbral Jalts. Hilling commends a mixture of nitre I dal amouniae. I have used nitre. Dr Hamilton of Lynn Rigis extols Vitre - Camp? Calomel - I Evet & opium. Yuseful - only when caufs of action is taken down - or perhups in the tendency of the discuse to Chronic when stism. I have tried it, without effect may in obvious in convenience. The Opium Did harm. nitre- Calamel - & F Imet: have an. - Iward much better alone. They warnete every way - Homenh - bowels - glands & poses - & with no ftrimelus. Colonel acts only on the bowels, I not on y arterial

V have have described habricula & Dysentinens There is evidently a Species of Chrimmation which is and logono to these diminitives of a thong disease. It is between the acute and list is mistaken for the Chronic about - and Chronic , The patient walks about - and the pain often in termits It resists the usual medicines given in Chronic Thermaticula. becomes they aresto It is known by a small truse pulse - sale is I have called hymorula. The remedies are gentle bludings - purges mitre - Il Blisters & cool - not cold aris. By vicamo of these servicies I have and this discuse in a few days lefter Angine and the most powerful semedies for Chronic Rhu. matism was had been given to no pupose. - hor Rhumital sia - go to ho 8. p: 347.

Tystem. Jimsist upon it i opinu protracts y luse. Is Low diet. 5 wot air 6 are any applications proper to the parts affect : ted - and what " - Steat: bristful - hence pati-: ents always worst in bed . - Bladders - lamp: - He de all improper. I have used Blisters molapes - & cabbage leenes with advantage. The first yently thin clating, & wacuting. The last gently stimulating. Proper only in the advan-e ced stage of the disease when debility has taken R Is law, & redown wood before.

The copplication of your often see
In Cold water proper. The foundaris houses
wered by standing in lold water or Swamps, Classic Phumatism - dus surged frie hames from the parts it verisies - as humbago Sciatica - The first Dis mistature from nephritis but no lichness or vomiting altered it, Both belong rather to Chronic - of which hereafter. Twhen we have done to febrile discusses !

+ Dewetting rays a dilated pupil is the most universal contenior of this Disober.

VI chrotto call them species instead of Itages, as they do not follow in the order in which they are set down. I have seen the state, by the last first. Calling them Itages is apt to lead into mistakes.

· Salt all commence can't

or treatment of either, I shall deliver

+ Fir ges: Baker relates that consumptions were boot on so persons out go by ex:
- cuping purging und to prepare the body for the budy for

Valso persons of irritable habits both of
body & mind. That confined to young persons. D'Hom
backs. In april 1791 Three persons of 45 b 46 had it two died
Doll carried or Duffield I this disorder in
Britain - Instand - I an the Leaboast of
new Ingland. Three young ladies foul of
walking on the Battery in her york
died withite in a few years. Posches
dispose to it.

a fin general propositions upon this disor. but is a disease of the whole Gatema This 1 It is a disease of of great debility. This is proved from the causes which produce it. thatse of the leseast - fevers - going - Surphula Hipportin: - import lactation - Casthona - Hampstysis -Hyporgathanis. + - colot damps air + Esta and executional bioline offered to the Systems . I The last a frequent cause. 2" Lind says out of 5743 patients admitted. into Haplan hospital between hely 1 17586 July 1. 1760 - 360 of them were consumptive patients 1 of whom were the disorder was owing to falls - lorisses - & trains occirce for 2 years before they were affected by the Consumption 2 Town the persons most limble to it. They are persons who live idontary ligues into persons who work in confined places - inhabitants of citis, de women. The predisposition to

V persons most liable to consump? - It is between 16 & 36 - a period in which the hystem is most liable to be affected with all the diseases & which dispose to it; bithe exiting causes which produce it. But not confined to jump persons. he llower opposite to jo 58.

+ faintines - Sichness of Stomach Dyambea He -

Consumption is enercused in these people by intemperance - & fatigue - whether in bisiness or pleasure. Jordians - frist letters whose Iranner of life resembles the lavage - and sever affected by it, & men who work in the open his, & experially country prople are solder affected by it . 3 From the age of V Il It is a disease of the whole System, and Ulus - treberches - heemonshafes & Vomices of physicians are the consequences lenor the cause of the disease . This I prove I by the quick pulse - burning in the palms of the hands be we precide any compo in the lungs of by the debilitated babits demane - new of the people enest dulignet toit. 3 to by the following fact from D Kind, Turn bach to po: 158. It By the ramedies which produce it # 5 By the semedies

by its fuguently alternating with the Rhow. = mation who are evidently a discuses of the whole System. I have seen the frequently, & in particular two cases of its terminating favoreally in a plane the latter three bigs in my the head. I have the latter twee twist in might Bolton to my Jay for mandary In a word, it summeto be general law of the Typtim that in a dibility of the whole estimal part of the body, an existing comoe will always act upon the weakest part. The homes erse the weathest part of the external Insface of
the body. - I whoftonwach, and pain or noise in the night
ear I Dyarressa. I that we often see Consumps, from latourh - measles - & Vomica - But these diseases never produce Cono? Unless there has been previous delility, or Unless deli: - litating causes have recured afterwards duch as fremature exposure to the cold - in. labor. nor let it said that we sometimes see the disease produced by Contagion. This helyest musits some inquiry. Valsalva svergami

which care it & bordiffection of this general debitity in an affection of the lungs is no more than w: happens in many Other cases. The debility of old age terminates in a cough called Caturrhus finitio. Thind last stage of wind smarked that the jail fever often west off by a cough. I have seen two instances of Hippocondriusis ending in a lough which induced in it all the Tymptoms of Consump. - tron - But why multiply proofs of our death generally falls which precedes death generally falls when the lungo -- hence most people die in the Rattles. They are prenerensed exerction from the hongs - a kind of Judden, or application Consumption. V 1118 Debility being universal, & existability elsewhere, heat, cold for violence of any kind lucione exciting - und

tells us would never attend the defrection of the lungs of aperson who died of Consumption but he add that he was predisposed from a weak breast to Contint disorder. We offer sometimes see whole families carried of by-but we must remember that whole families have the same figure of huch blownst & imitable artifle lysterns be that the members of the same family want on each other in this disease, by which means they are predisposed more easily exited by other Campes, But we are told of the practically by rising in the night part of the fraction of the fraction of the fraction of deserting houses, & burning Cleatter be in Portugal - True! it is possible conveyed by a portion of acid matter into a sound body - but here it does not but till it produces general debality & this begins in the lungs instead of the whole hystem.

I have sun time yours in which they it was supposed the Discuse was taken by contagion. Polly m' (all mos Huntington - & mip Budd - all of them attended on friends or relations who died with it - one of the 3 recovered by the live of remedica to be men horaster. It was the lady of hisid: Huntington - Dustaftenes

produce inflame and inflame action in the whole ystem. The course you see the same as preumony, we The disease is less aunto only because, there is less Assent in the System to produce violent action. It is prod? like prummy by indirect debility. The Causes windres it companied in those which induce primming are as 6- to 10 - but the. Tystem on which they act is proportioned to them. It is compared with a hystern lihewise disposed to produce framewory as 6-to 20. It is then you see to pourmony in Febri. - cula is to the autumnal remitting fiver, or Dysentinicula to the true Dy = - sentery. It is more common now y? 50 years ago in america - why? our Insterns less liberto produce a gennine than formerly. They therefore I believe themselves in a feeble inflow. called pulm: consumption;

& Other brigh Substances produce consumps the first debi
- litating from Constancy of the Cough, especially


at nights. The millates longh encurred by lifting

weights, & watching his mill at nights - hunts a

cetos. - Ullers produce them, because they throw

y debility are which they depend on y lungs.
V Inswent's & major heen. -

luce I follow the analogy of the bother Wis cases that have been mentioned is ? call it Pouronierela. It is a little Brune = womy. For the history of all the Symptoms of love - scrongstrom see De Toothersiel & Ciller . One thing to lead to it. patients not only have hope, but cone al duch yraptoms as we left to a knowledge of the discusse ordanger. It eyesptoms as we like like will divide itself like her? aute of diseases where have described into Stages. 1 The preventing stage. The disease has its precussors. - her Slight fiver-busing in the palms of the hands flushing in the face - slight paine in the breast - or shorting pains in the lides. There are the dreadful premonitors of a consumption. - now is the time to be alarmed. The semidio in some cases told Bath & Bark - the causes wi induced the debility. In my young men if brund to sedantary compations which priduce these ympotorus she be seperated



from y masters - Damps & cold lituations or soons the walnays debitate should be forsaben - & every disease of the west ! The this diet the be regulated - not to ble! produced hardness or even falues in the Jules of this way I thronk I have presented death from Consump: in an hundred instances. - The exercise to in this Stage Shobe of a peculiar kind. all exercise divided into Outive to papine. The lettire - walking wremning. jumping . I all other in which the muscles of the in a Carriage - Sailing & Swinging - The mixed are siding on horsebuck - or driving a chair - sowing a bout - & all others where the body is only partially exercised. The exercise for preven= - ting a consumption should be active of the mised kind - Riding on borochack is I had

Whi order of milhois i women 2 aper - 3 goats - but cows equally good - and more easily obtained - the milk on water may be added to the milk on water may be added to the milk on they to the format wanter british where the Butter milh should be preferred to milh. They one less strandating than with which contains Oil & Chase. Whey no Chase - Butter with no Oil. In some cases a fittle animal food country to por mote Solution of cupos food is neupary, especially in the 20 stipe, whom Here white musts are to be prefered one they he long on the Stomach, they have est to least thomalus of any animaldule.

Otances. Esso may be joined with them. It is simushable in this Digues that the Stomach & chylopotic viscora are sellom impained in this trocase. I Read thinks good tith accompany this disease - of course a defect of masticution as a part of the process of perfect Chylification can have no There in producing this disease. Here we see an inflame among many that might by produced, of health in another part of the Body. To airid, one part to disease in agother parts of the Body. To airid, my indications in the same disease.

almost said infallible - In cases of more advanced debility, & some pain or action in the hystern ailing Should be prefered. - active here - huntful - by being so soon attended with less of southertily נרי - Jatique. Cure of the 1" and 2" Species . _ I gentle Bluding. This so remedy is as very of the scene discuse. The grantity drawn Ih? as good as expressions then plethon 30 to 300 lay great be life of the grantity drawn Ih? this by it, but generally at the expense of trives in 2 weeks, my reputation - for it is a disagreeable simily to most patients, & very legs opular among this friends. But I continue to use it, & beglime to recommend it to you is you where the tives of your patients, & the peace of y minds. It has the Sanction of the names of mead be Inigled materials and the property bulling to for some intermed in the prevents healing to formate that by divised to property milk to beg. - Da Brown i brunkforst of bufster he is death in this Isains of the disorder. - V 3 Tomits - Sper: the be preferred. They are.

the Stimulus of aliment in the natural populate degree - the mosts should be droided lighting better than these In the Chine of vegetables a regard should be had to their stimulus. Where there is great suffere netion those she be pre-- fer'd whome least. Vanswirten titts us a care of a young man and by cating It unbersies. It is probable for they are no 1 - in the table of the relative degree of thinnelus in begetables. a moderate quantity of Jugar affords much wourish: at the expense of little Stimulus and have known come in a : stance of a come by drinking the fushjuin of the come in the west Indies, & another by drinking the fish juice of the apple - both of which contain morgagins cure by Barley & with a Di tested together ligaring in all where the Stomach is affected by Dypopey some minul ford of easy digestion, this Stringlating annot be taken. This is a deplorable case I shows the certainty of two indications in one disease, contrary to the delaration of D'13. - In all cases the meals thould be divided six small cenes a day - lef timul; than 3 larger ones.

The buston of Daghead treatise on Consumpo ?.
Donorton incommendathim Learnt their Use from a quach:
- They take down inflore dialties . They This distriction of immense importance - hatti justpece: 4 Demulients Drinho - before ment? - Jyrups usid in moderation - Too quest a greatity pullo thetomach, & hunts digistion. They should be in this stage of the disorder of the most emo-- lient kind a for dome cases by of homeradish, or of Alepso: I betons & causties of y Utility - having seen them prolong & even dave life. They create an artificial weat part & lovely throw of the lungo. D' Cullen remark on them. Blisters bust fresh - perpetual - to thinulate - as yet. 6 Exercise - of the papire kind - called gestation. - Les It the be the most gentle puis sailing to be prefered. - I have often seeds a side of even 3 miles on brosebach or a Chair Begin to Roching - then moving - a Camale Ve. effects on the borgs a cough - prove the

2

& moderate timulus applied to the lungs parti-= cularly gentle heat. I have goreserved served con them in stone rooms . heat appears to be surpary horge, for this is need your while the Inter Tyption in other parts requires delicitated.

medicines. - I suspect the efficiency of the Lear impart. his in consump in boyages is owing to its being impregne with Lea a little Lea Salt wi The spines of a country air I believe repends on its gentle hunge. The smohe of brisher rosen betar siems to act in the same way. Galen used to send his patrints to Stabies a high country between the mediter " Jea & growint verivires - where the his was confitantly impregnated with the salt tion particles of the one - & Sulphunions . effluein of the Other. Lybea a frine Country was formerly sussimunded in Consump? In the to Lybea was a pine Country be the offluvia of the pines was gently string in lating to the lungs be und 10th fromoting a war in some as aftimules . as gotil fact.

System are in a state of morbid inter Opium gives case, by giving a temporary tone to thelings. By the use of this remedies requires a careful ac-- commodation to different proportions of therein or inflam's diathesis fall down the precipies of life. I avoiding wo som Damps - I might air, & especially cold feet by eneurs of cork soals . - also unwholoome airby sluping in a small wonfined room bin eyen with any good warm One. The 3 Stage is after inflami diathesis is wasted, or Subdued. - Here a change in the remidies the be tryphus as different as between inflam & tryphus fines . __ I Stimulants of particularly in 1 morines , 2, drit - 4 3 Exercise. 11, medicines - Balsamies - Bals Cops: Pin tor - & truspentine - also bitters of all kinds especially Chimy true bash Dandylyon - hogermand -- Quide las Elis Vit : be deman from & Opium. So hark proper here? yes -but inferior toule the month?

(2) Diet - There we let bir putients

back - explained - wind by erad; ben: times or by

breakferst & Dine every day with De tompelitime Deminial food - the be prefer? Catique's cases. - Juspins - of a women was by bysters. Exercise 31 Thould be of the active kind-especially

6

Weriscouts or Shirts - They not only more determination to the longs, but they under the hystem lip liable to be affected by the Vicipitudes of the weather !

11 Cleanse of Chimate, where the heat is not so intense as to be stimulating, & thirty to produce indirect debility. ashot Server a Sultry July or languest are as fatal in this country as a tempestarous march. Comments. patients should be sent to South Carolina -Providence - Barbadoes - or Burneda - or Portugal, where the air is temperate & equable. I alette but slands improper. - medica unhealthy from the lightness & perhaps printy of the lin-see Dr gordon's letter to his pro Pringle. To sender a change of Climate effectival, a patient the enjoy it for at least two years . atticus remained 2 years in asia where he returned cured off a Consump to Rome.

siding on borgeback Dehounhame's encominant on it to this sho be added flanned next to the Min. — warmth to be recomd & cold avoided us in the former Species, and if patient is able to bear it - Change of climate. —

This shows aid the treatment of the hings, wor of the memores methods of discouring the presence of pres in them, or whether they are

affected by tubercles - Ulus, - absulp - ordinale definition. For It is of no more consignence in consumper to inspect the matter discharge. It and to inspect the under pots in a fewer. all consumps begin with deflucion only or energensed exerction and every dipertions Then that patients have died with bound home hours I believe as many seconies happen with Illeers as without them. I shall only make two umarks. I consumpo? which terminate in trabercles, as indica-

V This I hope will not always be the greater general debility by means of medicine - at least so far as to enable our patients to benefit by air, diet bossesie. The principal difficulty in my of inion's to remove the Beetie fever. Jo this fever analogous to the presperile - scurletina. I typico fevers? If so no wonder none of the usual andivines take effect in it. what would arrive do ? It is umarhable how long some people live in this disorder. De gatedettes mother in law aged ble was affected with a Cough 35 years ago - has Often spit blood & matter from her lungo - borne six Children in y time - is worst when

the don't cough is better as the grows oco - is not of a consumptive family.

the questrot delitity to are more dangerous & more fuguently fatal, than any Others. They Often appear in the much - leafore they are supthe disease produced by bornica - from the species of a St often exists without great debility & has been frequently uned by nature, or by very triffing remedies. The sum to be only of a thomas from Vomica. - In if it deserves that name. After all that has been said Cons! Often, be vary generally buffles all the 20-- medies that have been mentioned . What this is to be done -? Thall we abundon it as an incurable disease " By no means. It is not inmable - It has been used . The Remedies are such applications as are calculated to produce that tone in the system which is imparted to it by the manner of life of those people who are exempted

V 4 vansweeten says he has seen fishermen I Suitors eneed of Consumptions by burning Coachman.

+ and thereby keep the hystem com.

- stantly vibrating between tone be
debility. — D'Hunhum nummends the
same regard to Constancy of exercise in the
Jont. when used only by fitted Starts, he says
it does ham. P: 497. of Swan's edition.

from it. These are of bear 2 labor Descrise. I We! Parker - Jos: montgomery & the Pritetiand's - mordowny - Leint: Bries - & many other cases. 2 The Servey youth who was taken prisoner. 3 the De Franklin's Shormaker. Lee inquiries. Or the toils of ward labor practicable or agreeable, our dependance aust be upon presise. - To render this effectual, I shall here deliver a few directions which will apply hereafter to such Other discuses as require this imalrable remidy . -The exercise proper in a consumption is only to be had in a long formery. Thort exensions are propose to restore health Ofter an acute illness, this They are then highly agreeable & risiful, but they are outher hnotful in Chronic Diseases, and especially the Consump: For they are to Short that they excite more action than power to They excite appetite without adding to the digestive powers. But this is not

VI would here semash further that long Journies are more neupary in consumptions affecting women than men. The courage of they end me pain & Tishelp with more fortitude than mint they poppels less enterprise in undertakings of abandon themselves to despoir & death in Danger much some than men. It win Hamiltons in his aut of the late Dreagel carthquake at Calabria, has fromished us with a striking poor illustration of the truth of this remark. The teles lo that in Digging into the owins of the curth qualic, the work were always found with their arms folded, as if they had given themselves up to immediately to dispain & death, whereas the men were they resisted their fate to the last moments of y lives.


all the wil they do that attends them. They are often postponed on and of disinclination, or bad weather - and when used - the thots that they are used to promote health, or save life, sinh the Spirito and thereby do more harm them good . -In long promies - there are the following adountages. I a constant buchion of new Objects which direct the wind, & cause it to forget its danger, and by invergoing the mind, invigorate the body. - 2 There is a con-= I tant Change of air which is highly useful in all diseases & especially in the lungs. - It is this, which makes Sailing to useful in Consumptions. _ 3 It is constant not liable to interruptions from company or weather - so that appetite & digestronbetwoon & power keep pace with each Other. To render Journies effectual the following Directions should beginne in writing to

the Riding & long journies as effectual in Cons?


as & in Lues, or Bash in Intermittents, monde the strange of life organize longest journies ? Lydenham \$ 446.

V hos this purpose, they must begin by aday, & energes the distance of their stages, as they enercase their Strength. If patients are unable to bear the fatigues of a journey, the following hale of exercise the frist be adopted. I Roching in a Cradle, or a carriage in a Cradle, or a carriage in a Cradle, or a carriage in a walk. 5 fm a trot - 6 Riding in a Chair y Riding on horsebuch in a walk & pracing - cante: - mig & botting Do - In all these cases the Strinders in proportioned to Freita! If in this consists the together with changing or alternating consists the first furt of the

our patients .+ I To divid fatigue. ne guid mismis," on Onne minimum est natura inimicum "Sh? be the mottos of their curriages, or Saddles if they travel on howeback. - This arrive is of as as much consequence as it to rise from our tables with an appetite for more food, or our bids with an inclination for more sleep. It thoused be repeated over & over . -It is the bringe on which a recovery trisms. - many - many cares have I sur prevented by the neglect of this important direction. -I repeat it again - therefore - chargey: patients over & over When they set off on ormies to avoid - not highwaymen -- what will be more certainly - fatal fatigue. 2 To avoid travelling to som lefter entiry, expensally a plentiful meals, & if accident or necessity should lead to it never to I To avoid travelling too soon in the mos



I never after sundet in the evening. If the weather is warm - always lie bye in the middle of the day. 4 To change their apparel with the cire This of the estmost consequence . I think my life has been presented by a faithful attention to this rule especially in from. = mer. I Too and warm to as bad as too cool clouthing - for But little danger from this quarter. I never have been have been one or two diseased from How too much in asserth in Cloathing, but I have anemy thousands disordered from to How Clouber not aurumodated to the Coolings of the weather. 5 Hours of it should be needown for thin to lye down or to sleeps in the day time, advise them musto be talways between the Sheets & Blankets . The ligatures




of garters - Stocks - breaks knew bands weisbands - weiscrats - or Stays and unfriendly to butto in sound Heefo. - hener pensons often awahen in an afternoon's nufo in larer from dreams - or ion profuse drucats - or with ach or Sich Stomach & generally out of trumor. The knowyour are to linsible of this that they always warely fleels in this thirts in the woods . It an intelligent grutheman of this profession informed me that he had sun some to young travillers attempt to flees in this cloattes complain of indisposition , be befored to lay them aside, when they laid down in their blankets. I know a lady in this city who has long been in the habit of sluping every afternoon who undupes harself as completely when the lies down

thinks . As mul: famp: The gly cynhis Folostreph: - a 3; Thurn by when bround and Water to honey top boil y into a hyprop- & give loca; freg when the Cough is houblesome.


Dockten Rush will Oblige Milham Cop Towarder as William Cooper for informander from the Sowander with may Lead or Insque hanch

Promother forher of Loyall Soch to the formed that their is a false roaddeading adme aftray when I form Down the

Memorandom for Do Thigh 1 Judiano 2 findsetten 3 Of common in 4 les lalo y ledy employen & 5 whe common to Lieven y men



as the does at 10 or 110 look at night, & who finds her Slup refreshing & Solutary. Ligatures of all hinds are not only un. friendly to valetudinarians in consump tions but in other indispositions. Some knew an aunte colie pain enred by unbuch ing a tight Shoe, I the late or newol have of adm in this city informed me That he always arred a goddiness in his head to whe was Subject after setting long in lant, only by slipping down his show & untying his gasters. But further active Ligatures are unfriendly to Stocker theex-: enises of the Enind . hence we find Studious Inen both in their closets & upon Canvalo live always appear in brongerments was in govers, de sometimes with open Collars. I was come at a lofte account for this, but I sow know by experience




The herefity be benefits of it - for I am un: able to presente any Julijut that requires close or intense thinking untill I have first relieved myself from the fetters of my gasters & Shoebreelles - home I am toligo downed by the dreties of my profesion to imploy the latest hours of the evening only in my Studies I The manner in which these tight articles of dress operate in discuses & on the mind in health must be obvious to you all. They are direct Stimuli to the body, and as such they direct the mind from its pursuits in the same branner that hise, or pain from any cause will do . But return & Bo careful one more caretion is neupany under this head, & it to to advise your patients never to Heeps in Damps Sheets. Perhaps to prevent this

V Let it not be supposed that I recom.


mend lying down every time a patient
stops at an inn. By no means. The more
a patient in a consump? can set up
orwalk about
without fatigue the better, for the cough
is always encreased by a recumbent pos:

ture.

They had better carry theets with them. Is they Do not let them have the Sheets of the public drouse exposed to the fine us is common with travellers in Firence, or to them sleep in between blankets. I am aware in above we that con-tradit an opinion of our Country: = man Dr Franklin, but a the Dr has formed his opinion of the effects of Jamp air & cloathes only from their : effects on healthy propole, I not you consumptive patients & But more of this in our books Domestie & culinary lee = trues of V 6 adrise your putients to avoid the large companies, and especially evening to Tright companies. The breath & perfying tion of 10, or 15 people in a common Tied room, & more especially when



heated by the efflueria of more of five Amoking dishes of eneat, and phlogis: - ticated by 15 or 20 Candles is poison to the honge of a consempstive patient. I once heard of a gent? who sha with weak lungs who died the west morning lefter Spending an evening under the above circumstances. The air in this case is an and indirect Stormalus, & produced to sudden debility & death. For the same reason that large companies are hustful, consumptive patients the avoid Huping in crowded rooms - or with Curtains, or even with a bed fellow. 7 Direct your patients to avoid the Society of men or homen of who pof: - Justs great powers of entertuining Company. a consumptive patient



had letter meet a lightness our a female patient of enine last forme mes, busted a blood supel by ansignild: ing to the impulse of a flash of human, upon her body. - many instances of the same hind might be address from the Innals of medicine. In condemning misth I do not condemn Chenglelup. - The one is a gentle & imigorating Strongth - the Other a is the other from its except of Himmeling the test of Himmeline indirect detailety in Jone instances death. In the anguloup is The pleasure of wise men & philosophers -- misth is the and pleasure of Buffins It fools. Chamfulate It has nothing to do - with Chearfulness - hence, it was once well said of a snan who refused to par : take

None is accompanied with Volition, or dor the other is a mere animal com: motion, & performed before the mind has time to produce a regular act.

in general over of laughter, than he was "too happy to be merry" -& are there any papions that may be employed to advantage in this disease in the course of the Soumies of consump = : tive patients. It Islame tills us y: many Consumptive perfole were selined & some recovered by the dreadful humi: - come of 1780 in Barbadoes. The tomes horoads an indirect thinder, and of course a debilitating pupion, but the power which acted here was not bear but tonor. The one is called by Lord /haims & other enetaphysicians a papion - the Other an emotion. The The One vis fear leades to inaction - the Other viz: terror - les drives to exertion both of body & mind - hence it is invigorating, and of course medicinal

+ From The efficacy of the Berkly I prings I be: : live is derived in part from the influence of a circumstance but little attended to by physicians. From roo to 500 patients, afflicted with the while nominelature of diseases have visited these ofprings whom only 16 have died at the office belief theme. The resital of this fact which is daily told to every invalid we the histories of thousands of cures, your done various as much as the waters of the prings, or guy of the circumstance attending them.

Vor lay-ladging in this new be half civilined Countries - and ledging in taverns where an apprehension snight now be then be excited of robbery, or James before morning . -

in a high digue to to debilitated body when it is confined to those degrees which are only directly stringlating . It will be difficult to imitate the accidental lusas occorded by D2 Blane - But we may learn eno from them to recommend hope to confidence in the remedies we are using. - These are in vigotrating papious. Perhaps a moderate degrees of terror might now I then be excited by conducting our patients to precipiess - or endping dangerous or bytes or bridges, - Vanenciten ulate comes of consumptions by patients falling into Streams of wold water. - Perhaps in both instances the cures were performed only by the fright & consequent exestion of the produced by the fall . _

the two first & sometimes the 3 Is sing month the are unfavourable to consumptive people in suid de Itales. all valetudinarians are worst in the Spring all over the world - where to the variableness of the luca:

ther is we veres. The Somewards say the Soring is varied their with flowers to make envalids forget their sichness and distriptio.


be owne restful to bringer than travel?


on the Continent of Enrope - Summatingsta.

tions to ple come improper company or plea:


- here & more variety to amalun attention de.

In what seasons thould our patients travel? The winter Ojimmer Imonths the mode states of america. - But by travelling from one end of the United States to the Other, a patient may enjoy a perpetual conte fring or butumn. The may pap his winters in travelling This the fandinas and georgia - & his Summers in visiting the Eastern States, or in cropsing the labor that lead to Canada. - He must by all means avoid as much as populle the fea Coast of america - for the air of the dea Shore for from its minture with the air of the land is extremely hurtful in consumptive Complaints.






Traducts in Ingland has become a ensable minate houses, I have taken the entire & constant direction of this marriacal patients. The same good effects I believe w? follow - if comsumptive patients were wonstantly under the eye of their petients. - The hunds of appetite, and great stock of animal Spirits which these people popels hurry them into an hundred end exceps which are fatal to the bust concented plans of a secovery, or if They escape these, their desire of life exposes them to be reduced from our directions by every great remedy that is secommended to them - and of These they will have eno at every Stage for their lough wis a signal for disease, and wen hosters, and




ferrymen presonts for consumptions. Two Observations are progrested by these facts. I That the love of health, like the love of money levels all cupacition.

I have brown persons of the less t Industrandings in Other things, desert the lidries of age - experience & the gratest Shill to and Submit thermoches wholly to the directions of persons of the most contempstible characters for ignoran in medicine. - The 220 Observation is taken from De Cherre - The carlefones of patients in general in preserving health, & of patients in priming the means for restoring it, led him tore: mark that there is nothing of so much consequence to manhind no health except it is their eternal



Salvation, be yet there is nothing many - kind night so much as their health, except it is their eternal Salvention" this place to introduce lating in Soriegn to it. Physicians are Some. - times consulted by their patients respect - ting the Ourpations of their Children. - It is very common to advise putting weally boys to redontary employen? or Such as employ the mind mosether The lasty. This is a most injudicions practice. weathly young men thould always be advised to chose such beups. tions as will strengthen their bodies by hard labor I by exposure to the air- such as the neval life, or some laborious muchan: employment.




If they have been prepared by a liberal education for a learned profession - physic Thould be prefered to law divinity on · Commerce all of which require setting we many hours at a desh, & in a pos: : true too which is very unfavourable to weak brings. I owe my present pro:

Lall the respect & Affection which I henter:

a fefrom wholly to a heriditary consump:

thin Borit,

tive diathesis which discovered itself I am indebted for my mesent existence in this world, myslife to the constant of world in this world, which is connected with it I know two instances of a printer; apprentices to a printer in this city who have been saved from an early grave by certing for two or three years as prepmen in a printing office - an employment which requires great exertion of the whole bedy, & especially of the upper



learles - 2000 I have known many inwhose constitutions have been at it were somorated by the toils of which are connected with the life of a Sailor & a farmer. I mentioned formerly that these direstions to our patients should be commit ted to writing, Otherwise they will soon be forgetten, or misunderstood by them. But this writing Should be fair blegible. for because man may be an excellent latin & greek Scholar & even a fine gen bad hand be write a bad hand be even grammaer, yet he cannot be a good physician without was accustoming himself to write a forst distinct, and legible hand in all his presiptions

Its proximate cause - exceps, or defect

of action from the Atimulus of a Specific

Contagion - Source There is an exception

to debitity as a pridisposing cause - adhi
it has great influence on the disease.

- It claps in poisons be wounds which

It have been excepted from our general

proposition.

I wish these facts mentioned in this leture to be will rememb?, as I phall have Occasion frequently to refer the to them wort repeating them. -Small port This discuse evidently affects the whole System, & like some Others which have throat of I define it to be contagions a or fever accompanied with an acute pain in the back, and Jonnes about the Epis gastre region, sometimes a bomiting with an emption of small protules can between the 200 & fifth day after the attack of the fever, which rop fill with a gournlent or watery matter. It has two Species. I The distinct or polaligistic Small port be The confliment, or typhioid Imallpox. a define the first, to be furth offinitudes a bever with hand pulse, an implien,

I the finall pox has been further divided into viliquese - crysteline - & wasty - But the appea. = sames of wiloy & foundation for these mannes appear in both Tperies. what they come? -Ownetimes intermitting. a lais commotance in bayers
The Dea of the Inter fever being only orightever

VI'm what manner is the disease propaga. - ted ? 134 Contagion conveyed the by the breath - the effluing of the body - the Cloaths and this the medien of the cir. It may be conveyed to a great distance by means of wind or from - have it spreads this whole neighbourhoods that have no con - meetion with each other. It is remarka: - ble that fine does not Destroy it - It asheres to paper - is conveyed by a letter - is propage. nany months if dry, in preserved from the Chrose in boxes see carefully Scaled. They use the Scales couly demondate by thrusting them up the nose.

on the 3 mod inding on the 5th on 8th day to bymning To this define tion there is sometimes and a suption. I have seen a second enop of pock on the go toth day. I define the 2 nd to be a fever with a weak I grick soulse, be one soulstone soundsound with refferencement, and which generally appears toos on the 2 day, - dometimes annysamed with dianhaa? the fever continuing tell after the emption is Before of the distinct I mate a few questions inquiries. ~~ 2 How long does the disense hi in the lody before it excites the fever & in y nathway? - generally 12, or 14 days - but I have beend from De Shuch a tratiofactory case of its nex produing the fever for 20 days. 3 Is there any mode of distrying the Contagin before its produces the emption fever ? yes But this will be disenfeed to der the deligiet

5% the disease universal? - no, Some purple the exposed to escape it during life.

of inventation. 3, Is there enry mode of destroying the contain nay be lipsed doses of Calonel & F Imetic. - I think I have done lense to by these Indivines in the emptive fiver of the extinguish the visuase by first nebbing the broy with peoples, be then plunging it in a low water. I shall now proceed to treat I of the district frall pox. I shall I treat of the emptive fever, & 2 of the serondary fever. + The remedies proper in inflam fever are proper here. 1 Bleeding. 2 Strong debilitating doses of Calon I tout: Smet: Some gave adailor adve of these which worked him awhole day. He escaped I believe, death an Consequence of it. I took the hint from Hillory who supposed aboutely that

v lungs are affected - for here is no previspos - ring debility, except perhaps when taken in cold weather.


the & operated Sperifically in Distroying the Contagion. (3, Blisten to the nuch if Coma or delinum attend - These often ocur - & the blisters seldom fail of serving them. (4) Tetting up - This is of quant Consequence It is the briden of Dry dentrams new meth. of treating the small port. It checho the emption of the poch. It is particularly use:
- Julin a delivium.
- of this is a dedative or indirect Stringlas I spoke formerly. ~ a case related in London of a person Supposed to be dead cursed by it . Lefsburt. - buly have their mensuony even where their ten & all heating Darishs improper. (7) Opsiates - These Should never be used Hill the emption is completed. They Supportation is attended, with pain & wehefulness. The danger here is from 3 causes. I inflower of the lungs. 2 Clamonines

V In this case - the remedies formerly recommended Under the head of Prensmosies typhodes are proper.

of or viscidity of the vonces of the throat & trachen. & brouges - & 3 from thered. - den Subsidence of the Swelling of the pace thead. I To relieve the influent of the lungo. Bluding - Blistoning - & Smetris soing becard, - I have seen blood drawn in this Stage as siry as in placemony, & I have sun a puhe Jans of death. The inflam of the langs is vera be nother. But sometimes typhodes. I much of which The throat we threatens Suffication this I have seen produce a tracks cynamele trachialis, is a remedy which is almost infallible bie 3 - It the beginsen - as som as The emption is completed, if danger is apprehended from y: Brumleen, 90 that it may excite a Palicution let the tron of the pock . To ensure this Salivation & al Cristment the be nibbed into the Centride of the throat. The more plantiful

V To apist in the Discharge of this mucus deterging gargles should be note -in: - pregnated with Substances gently strine. - Cating . - This a Paliration is so epential pox, that when this disorder reigned the manch of the Epidemies, it marked to to highly y he calls a morbillens fiver. One case Troing - no hulling in the face - no Salivation be tee his Case in Unidemics -

the less the danger - It is agreeable to see how liquid the matter discharged from the action of the & is - companed with that wi is discharged without it. I have seen this medicine given in purhaps an hundred cases with effect I consider it as a discounty & acknowledge myself indebted for it to my old master - the presid tof the College of Johnsicians in this city. V 3 To prevent any bud effects from the sudden Subsidence of the Swellings of the head I face . - The following remedies are proper 1 gentle purges - 2 Bathing the hands do but in warm water, or warm blomo. = lient lataplasons applied to them -in some instances with gardie. The more the limbs swell, the better worker It is the natural transition of the Swelling of the face . 3 Blisters to the ruch - de if the Baths, & Cutuplusmo do not printe



the Swellings of the timbs. Le Opening the postles with a Medle . This lipens stimulus & it is said prevents the port los marking the body. _ 5 Changing the patients himsen only in this disease been compared by De Huxham to the poisonous Shirt of Harenles. __ Or rather resumethin this disease, (to we borrow another happy phrase from De Husham of two or three gentle purges are proper . They prevent or une optialmia, & troublesome fores widometimes follow the disease. 2 of the Confinent pull box. It may be expected by early emption, Diamhaa - or homorrhages, officially It is much impluenced by the saigning Goodenie, - hence this Speries is most common in leasons when malignant Juss privail.

V also animal food such as Bus States ham Chichender Ewing, & millais gil; cases. - It is semanhable that the apportile in this Species of finall pox is often unin. - simed . -

Its remedies. are all those seconon? bortyphus fever - 1-when excep of action prevails in is Often the case in the beginning, and moderate bleeding is neupary - together with metric - gentle punges-if no Diarrhan attends - with cold drinks & cool lin. - But if the typhis with defect of action takes, the semedres enust be wine - Bark by the month, & by glyster - & Opinn taken avoiding to D' Husham 3 times a day, & acording to D'Stork every six hours. Tweed air must be admitted to our patients, but wood bing & even too cool hir, also cold drinks are highly injunous. From the reglect of this distinction letter can the two spens leavieties of thise Spesies, Dydenham I Dranoston differed in their accumit,

or livid pock

I pringint macula, may be touched with

Bot a dibuted spirit of her last or D7. I have

often seen it chech them, be give them a

good appearance next day. I went see a too.

man almost very day in 3 truet whom

when a Child, I saw recovered from the

Insall pop with enany hundred of these

livid pach.—

of the puall por, I from the same cause, anany thousand patients have been sa:

- crificed by succeeding polysicions, acording as they have blindly followed in all cases either the first or the last of them. Y


To the two species of healt poor Suchapo it might be proper to add - the a 3th Hig: the cutiendar for all poor.

This sometimes affects surrous who have

This sometimes affects persons who have never had it, in so superficial a mannen ers to expose them to a 2 reletich of the disorder. It lihewise affects nurses, & Other attendants on the sich. I have seen it & felt it several times. That it is a variolius disease, d'infer from ets producing the small port by insculation. - It huppens sometimes when the dis-- order is taken in the natural way, but it occurs most frequently from inoculation

1 a 1 Lydenhamb vans wieten lette sclate facts that make it probable that there may be a fever with out an emption in the natural way is seemes as a 22 attach. In this fiver there is qual evacuat " from hund. Joination or howarhage. somembred that Children may be affected in the womb by this disorder, earen where the mother has had it, & if no miscarriage happens, be the protoles own on this full Course, the Child is ever afternands secund against a 2 allach of it. Williams case at hunoington . _ The Small port is who ays attended with danger in pregnant women owing to inflam: diathesis - always being present in that State of the female Lystim.

I have the small post taken so a second time after not only an inflame; on the arm, & a each on the Shin, but after the emption of Ieveral distinct pustes, The never after when these pustes have muster when there was a high fever. Conthe Subject of Investation Infer you to the lutine published in the bolume of inquisies. I shall only add thoubberry : vectors that have diese versed to me. I That a large wound oftenfore. wents infection taking, by the blood w: I The Sweep of the princture depends much lanest by existing an inflame often throws out the matter from the am, I thereby prevents its being absorbed into the body. - 3 The fmall pox may be



communicated from the matter in the pusterle of the arm ofalls where it does not produce the disease in thehystern of the person from whom it is taken, 4 the Too much thep cannot be daid upon the habit of the body in preparing it, & the nature of the fewer in the applica. : tion of coto air. much mischief done intog Inoculation from negleting these two things. Board & animal food neup! Sometimes in the former, be warm air in the latter case - But this you will see discuped at large in the lecture.

5 I have seen fresh matter module the emp:
- time fever in five days from the day
of insculation in three persons insoculd:
on the same have time. They all belong:
- ed to one family. -

199. bresh arise 6 I have seen a distinct protte on the Spor where a child was insulated 2 months lefter its horn was well. The more who suchles this Child told me the had seen 2 himilar cases - One six weeks, & the Other three months lefter in ventation. of Under the 1: head of the lestrese I have mentioned the diseases wider in putients have laboured who have see the small pay is Safety by inoculation. I can now and that I have seen there instances of homen who have paper thro to menotination without duffing the last incommence for energies of the finall post from it. & a large alsoup under the arm without any emption, fatal in for Porson's Child. The Sore had wearly healed . -

